

# EMC Mark VERIFICATION No. GZEMC1112002

### Equipment

Type of equipment

Brand name

Type / Model

Manufacturer

Manufacturing site

LED power supply

EAGLERISE ELP06-12LS; ELP09-12LS; ELP12-12LS; ELP18-12LS Eaglerise Electric & Electronic (Foshan) Co., Ltd.

Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R. China

### Standards

### **TEST REPORTS**

EN 55015: 2006+A1:2007+A2: 2009 EN 61000-3-2:2006+A1:2009+A2:2009 EN 61000-3-3:2008 EN 61547: 2009 Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Report No.: GZ09060580-1R2

### SUMMARY OF RESULTS

We confirm that the product without reasonable doubt will fulfil the requirements concerning electromagnetic compatibility according to the above mentioned standards harmonised with the EMC Directive 2004/108/EC.

With accomplishing factory inspection this verification give the above mentioned manufacturer the right to use the Intertek EMC mark on the above mentioned product/s.

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Date of issue: 05 December 2011

an Non

Yannie Wang Manager, EMC





Intertek Legal Entity: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Address: Block E, No.7-2 Guang Dong Software Science Park, Caipin Road, Guangzhou Science City, GETDD Guangzhou, China Tel / Fax: 86-20-8213 9688/86-20-3205 7538

## **Test Verification of Conformity**

On the basis of the referenced test report(s), the sample(s) of the below product has been found to comply with the relevant harmonized standard(s) to the directive(s) listed on this verification at the time the tests were carried out. The manufacturer may indicate compliance to only the said directives by signing a DoC himself and may affix the CE marking to products identical to the tested sample(s) if the product complies with all CE marking directives that has the product in their scope. In addition, the manufacturer shall file and keep the documentation according to the rules of the applicable directive(s) and shall consider changes of the standards as they may occur. Additional requirements, additional directives and local laws may be applicable.

Applicant Name & Address	•	Eaglerise Electric & Electronic (Foshan) Co., Ltd. Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R. China
Product(s) Tested		LED power supply
Ratings and principal characteristics	:	See Annex to Test Verification of Conformity for detailed Ratings and principal characteristics
Model(s)	•	ELP06-12LS; ELP09-12LS; ELP12-12LS; ELP18-12LS
Brand name		EAGLERISE
Relevant Standard(s) / Specification(s) / Directive(s)		EN 55015: 2006+A1: 2007+A2: 2009/ Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
		EN 61000-3-2: 2006+ A1: 2009+ A2: 2009/ Electromagnetic compatibility (EMC) – Part 3-2: Limits – Limits for harmonic current emissions (equipment input current ≤ 16 A per phase)
		EN 61000-3-3: 2008/ Electromagnetic compatibility (EMC) – Part 3-3: Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low- voltage supply systems, for equipment with rated current ≤ 16 A per phase and not subject to conditional connection
		EN 61547: 2009/ Equipment for general lighting purposes — EMC immunity requirements
		EMC Directive 2004/108/EC
Verification Issuing Office Name & Address		Same as Legal Entity
Verification/Report Number(s)		GZ09060580-1R2/ GZ09060580-1R2

Note 1 : This verification is part of the full test report(s) and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Note 2: This verification supersedes previous verification with Verification number GZ09060580-1R1 dated 31 August 2011.



Signature

Name: Carrie Chen Position: Sr. Project Engineer Date: 05 December 2011

P. 1 of 2

www.intertek.com



Intertek Legal Entity: Intertek Testing Services Shenzhen Ltd. Guangzhou Branch Address: Block E, No,7-2 Guang Dong Software Science Park, Caipin Road, Guangzhou Science City, GETDD Guangzhou Tel / Fax: 86-20-8213 9688/86-20-3205 7538

## **Annex to Test Verification of Conformity**

This is an Annex to Test Verification of Conformity with Verification/Report Number(s): GZ09060580-1R2/ GZ09060580-1R2. The issuing office is Intertek Testing Services Shenzhen Ltd. Guangzhou Branch (Address: Block E, No, 7-2 Guang Dong Software Science Park, Caipin Road Guangzhou Science City, GETDD Guangzhou).

Ratings and principal characteristics	<ul> <li>Class II; SELV; IP 20; ta 50 °C; tc 80 °C; Built-in; Constant voltage type; 110°C thermal protection; Inherently short-circuit proof; Suitable for direct mounting on normally flammable surfaces;</li> <li>ELP06-12LS: Input: 220-240 VAC 50/60 Hz; 65 mA;</li> </ul>
	Output: 12 VDC; 0,5 A; ELP09-12LS: Input: 220-240 VAC 50/60 Hz; 90 mA; Output: 12 VDC; 0,75 A;
	ELP12-12LS: Input: 220-240 VAC 50/60 Hz; 120 mA; Output: 12 VDC; 1 A;
	ELP18-12LS: Input: 220-240 VAC 50/60 Hz; 200 mA; Output: 12 VDC; 1,5 A

Note 1: This annex is part of the Test Verification of Conformity and should be read in conjunction with it.

This Verification is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Verification. Only the Client is authorized to copy or distribute this Verification. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results referenced from this Verification are relevant only to the sample tested. This Verification by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Note 2: This annex to verification supersedes previous annex to verification with Verification number GZ09060580-1R1 dated 31 August 2011.

Signature

Name: Carrie Chen Position: Sr. Project Engineer Date: 05 December 2011

www.intertek.com

Intertek

Report No.: GZ09060580-1R2

#### TEST REPORT

Applicant Name & Address	:	Eaglerise Electric & Electronic (Foshan) Co., Ltd. Guicheng Sci-Tech Industrial Park, Jianping Road, Nanhai District, Foshan City, Guangdong Province, P.R. China
Manufacturing Site Sample Description	:	
Product	:	LED power supply
Model No.	:	ELP06-12LS; ELP09-12LS; ELP12-12LS; ELP18-12LS
Electrical Rating	:	Class II; SELV; IP 20; ta 50 °C; tc 80 °C; Built-in; Constant voltage type; 110°C thermal protection; Inherently short-circuit proof; Suitable for direct mounting on normally flammable surfaces;
		ELP06-12LS: Input: 220-240 VAC 50/60 Hz; 65 mA; Output: 12 VDC; 0,5 A; ELP09-12LS: Input: 220-240 VAC 50/60 Hz; 90 mA; Output: 12 VDC; 0,75 A; ELP12-12LS: Input: 220-240 VAC 50/60 Hz; 120 mA; Output: 12 VDC; 1 A; ELP18-12LS: Input: 220-240 VAC 50/60 Hz; 200 mA; Output: 12 VDC; 1,5 A
Test standards	:	EN 55015: 2006+A1: 2007+A2: 2009
		EN 61000-3-2:2006+ A1:2009+ A2:2009
		EN 61000-3-3: 2008
		EN 61547:2009
Test Result	:	Pass
Conclusion	:	The submitted samples complied with the above EMC standards.
Remark ********************	:**	When determine the test result, measurement uncertainty has been considered.

Prepared and Checked By:

Helen Ma Helen Ma

Project Engineer Intertek Guangzhou

Approved By: Signature Carrie Chen Sr. Project Engineer Intertek Guangzhou 05 December 2011 Date

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program. The test report only allows to be revised within three years from its original issued date unless further standard or the requirement was noticed.

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Block E, No.7-2 Guang Dong Software Science Park, Caipin Road, Guangzhou Science City, GETDD Guangzhou, China Tel / Fax: 86-20-8213 9688/86-20-3205 7538



# **TEST REPORT** (with Justification)

### **Test result:**

It is found that the LED power supply, model ELP06-12LS; ELP09-12LS; ELP12-12LS; ELP18-12LS met the requirements of 2004/108/EC directive and EN 55014-1, EN 55014-2, EN 61000-3-2, EN 61000-3-3 standards.

### **Report revision reason:**

This report is the first revision of the previous test report GZ09060580-1R1 dated 31 August 2011 and shall be used together with it.

For model ELP12-12LS, the position of L0 and RV1 had been changed which do not affect EMC characteristics.

The production units are required to conform to the initial sample as received when the units are placed on the market.